



# Splashpanel®



PVC panelling for walls and ceilings

# Smart, contemporary designs, 100% waterproof



Pietra Anthracite Gloss

Give your bathroom a makeover with smart PVC panels. Choose from various ranges of fabulous contemporary designs and do it in style with Splashpanel. Our PVC wall and ceiling panelling is an attractive, cost effective alternative to tiles, paint or wallpaper. It is 100% waterproof, quick and easy to fit and comes in 10mm thick panels for walls, and a lighter and narrower 8mm for ceilings. Our range includes marbles, stones and plain colours in gloss and matt finishes.



The 10mm thick cellular PVC structure of Splashpanel ensures the panels are durable yet lightweight. The 100% waterproof panels create a fashionable and functional wall covering that's ideal for shower enclosures, bathrooms and wetrooms. Easy to clean, with no grout lines, the Splashpanel hygienic, non-porous surface provides excellent protection against bacteria and stains and is mould resistant too.

Quartz Stone Gloss



100% WATERPROOF



COST EFFECTIVE



FAST FIT



VIRTUALLY MAINTENANCE FREE



NON POROUS AND MOULD FREE



EASY TO CLEAN



CAN BE INSTALLED OVER TILES




5 YEARS DOMESTIC USE WARRANTY




FIRE RATED TESTED TO BS EN 13501 - 1:2007

# Walls


## Panels




Snow Drift Gloss




White Marble Matt




Grey Concrete Matt



Pietra Anthracite Gloss



Quartz Stone Gloss






Carrara Marble Gloss




Fino Grey Matt

## Extrusions

	Colour	Length
	White	2400mm
	Silver	2400mm
	White	2400mm
	Silver	2400mm
	White	2400mm

Silver profiles available while stocks last. Grey profiles in all three types will be available from April 2025.

## Wall panel size



**Dimensional tolerances**  
 10mm Wall Panels :  
 Length: -0 / + 20mm  
 Width: + / - 6mm  
 Thickness: + / - 0.2mm

Coverage per 1000mm panel: 2.4m<sup>2</sup>

All panels are supplied with a tongue and groove joint.

# Ceilings

## Panels



White Gloss

*\*While stocks last*



White Matt






White Ash\*




White Gloss with Silver Strip\*

## Extrusions

	Colour	Length
	White	2700mm
	White	2700mm
	White	2700mm

Ceiling moulds, external corners and silver clip-in profiles will be available from April 2025.

## Ceiling panel size



**Dimensional tolerances**  
 8mm Ceiling Panels :  
 Length: -0 / + 20mm  
 Width: + / - 2mm  
 Thickness: + / - 0.2mm


Panels per pack: 4  
 Coverage per 2700mm pack: 2.7m<sup>2</sup>

All panels are supplied with a tongue and groove joint.

## Adhesive and Silicone Sealant

We recommend using Grant Westfield Panel Adhesive and Silicone Sealant products for installations of both our 10mm Wall and 8mm Ceiling panels.

Both are available in White.



White

# Technical Information

## Installation

Splashpanel PVC waterproof panelling is fixed by adhering the panels to an appropriately sound, flat and plumb subsurface. If the subsurface is uneven then a timber batten frame should be installed to create a suitable subsurface to adhere to. Full installation instructions are supplied with all products and are also available to download from [www.Splashpanel.co.uk](http://www.Splashpanel.co.uk)

## Care & maintenance

All Splashpanel PVC waterproof panelling is more hygienic and easier to maintain than tiles. The non-porous surface provides excellent protection against bacteria and stains. Please note: abrasive cleaners and bleaches **MUST NOT** be used on any Splashpanel product. Panels should not be cut or stored in direct sunlight as it can cause discolouration.

## 5 year warranty

Splashpanel PVC waterproof panels carry a 5 year residential/domestic warranty against manufacturing defects. A full copy of the warranty is available to download from [www.splashpanel.co.uk](http://www.splashpanel.co.uk). Please note that installation of the product must be in accordance with the fitting instructions, available at [www.splashpanel.co.uk](http://www.splashpanel.co.uk). Incorrect installation will void your warranty.

## Fire rated

Fire Rating tested to BS EN 13501-1:2007 achieving and F.R. classification of C,S3,D0.

## 100% recyclable

This PVC product can be recycled at your local recycling facility.





The modern way to create the perfect space

[www.splashpanel.co.uk](http://www.splashpanel.co.uk)

t. 0131 337 6262 e. [info@splashpanel.co.uk](mailto:info@splashpanel.co.uk)

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice.

The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.

